Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	28	((manag\$4 or monitor\$4) near4 resourc\$4) and (leaky adj1 bucket\$1) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 09:00
S2	6	((manag\$4 or monitor\$4) near4 resourc\$4) and (leaky adj1 bucket\$1) and @ad<"19980826" and credit	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/04 17:12
S3	7	((manag\$4 or monitor\$4) near4 resourc\$4) and (leaky adj1 bucket\$1) and @ad<"19980826" and credit\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/04 17:12
S4	2	(leaky adj1 bucket\$1) same (resource\$1 near3 (monitor\$4 or manag\$4)) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/04 17:29
S5	63	((resource\$1 near3 (monitor\$4 or manag\$4)) and @ad<"19980826" and credit\$4) and "709"/\$!.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/04 17:30
S6	67	709/224.ccls. and credit\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 09:21
S7	46	(709/224.ccls. and credit\$4) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 09:05
S8	20	((709/224.ccls. and credit\$4) and @ad<"19980826") and (not (credit adj1 card\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 09:04
S9	10	(((709/224.ccls. and credit\$4) and @ad<"19980826") and (not (credit adj1 card\$1))) and resource	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 09:04
S10	16	(((709/224.ccls. and credit\$4) and @ad<"19980826") and (not (credit adj1 card\$1))) and resourc\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 09:04
S11	5	(709/224.ccls. and credit\$4) and @ad<"19980826" and (resource\$1 near3 (manag\$4 or monitor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 09:08

S12	3	((709/224.ccls. and credit\$4) and @ad<"19980826" and (resource\$1 near3 (manag\$4 or monitor\$4))) and (indicat\$4 same credit\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 09:09
S13	O	(709/223.ccls. and credit\$4) and (709/223.ccls. and (leaky adj1 bucket\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 09:21
S14	3	709/223.ccls. and (leaky adj1 bucket\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 09:22
S15	434	leaky adj1 bucket	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 09:23
S16	2.	((manag\$4 or monitor\$4) near resourc\$2) and credit\$1 and (leaky adj1 bucket) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 09:25
S17	148	((manag\$4 or monitor\$4) near resourc\$2) and credit\$1 and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 09:39
S18	3	(((manag\$4 or monitor\$4) near resourc\$2) and credit\$1 and @ad<"19980826") and notify near3 (process\$1 or job\$1 or task\$1 or thread\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 13:13
S19	0	(resource near (monitor\$3 or manag\$4) same (leaky adj1 bucket)).ab.ti.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 12:44
S20	. 1	(resource near (monitor\$3 or manag\$4) same (leaky adj1 bucket)) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 13:13
S21	1	(resource near3 (monitor\$3 or manag\$4) same (leaky adj1 bucket)) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 12:45
S22	2844	(communications adj1 network).ti.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 13:14
S23	8	(hierarchical adj1 resource adj1 management).ti	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 14:08

S24	399	real adj1 time adj1 network\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 14:10
S25	0	(real adj1 time adj1 network\$4) near3 embedded	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 14:09
S26	2	(real adj1 time adj1 network\$4) same embedded	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 14:09
S27	310	(real adj1 time adj1 network\$4) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 14:50
S28	14	((real adj1 time adj1 network\$4) and @ad<"19980826") and (priorit\$3 same resource\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 14:23
S29	3	((real adj1 time adj1 network\$4) and @ad<"19980826") and (priorit\$3 near3 resource\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 14:12
S30	35	((real adj1 time adj1 network\$4) and @ad<"19980826") and ((creat\$4 or instantiat\$4 or initializ\$4) and object adj1 oriented)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 14:18
S31	0	((real adj1 time adj1 network\$4) and @ad<"19980826") and ((object adj1 oriented) near3 resource\$1 same (creat\$4 near2 (tool\$1 or object\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 14:19
S32	0	((real adj1 time adj1 network\$4) and @ad<"19980826") and (resource\$1 same (creat\$4 near2 (tool\$1 or object\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 14:20
S33	8	((real adj1 time adj1 network\$4) and @ad<"19980826") and ((create or instantiate) near3 object)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 14:21
S34	<b>3</b>	((real adj1 time adj1 network\$4) and (priorit\$4 near3 resource\$1)) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 14:25
S35	4	(real adj1 time adj1 network\$4) and (priorit\$4 near3 resource\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 14:25

	<del>,</del>	y	<del>,                                      </del>	<del>,</del>	· · · · · · · · · · · · · · · · · · ·	
S36	3	((real adj1 time adj1 network\$4) and @ad<"19980826") and (((priorit\$4 or preference) near5 resource\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 14:52
S37	6	((real adj1 time adj1 network\$4) and @ad<"19980826") and (preference\$1 same resource\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 15:31
S38	107	request\$4 near3 destroy\$4 and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 15:32
S39	17	(request\$4 near3 destroy\$4 and @ad<"19980826") and (object adj1 oriented)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/05 15:33
S40	7725	send\$3 with message\$1 with indicat\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 09:59
S41	20	(send\$3 with message\$1 with indicat\$4) same exceed\$1 and @ad<"19980826" and "709"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 10:00
S42	6	requested near5 bandwidth near5 exceed\$3 near5 available	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 10:25
S43	6	(requested near5 bandwidth near5 exceed\$3 near5 available) and @ad<"199980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 10:12
S44	0	allow near3 priority with access near3 device\$1 near3 overrid\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:07
S45	26	allow near3 priority with access near3 device\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:09
S46	21	(allow near3 priority with access near3 device\$1) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:08
S47	Ö	allow near3 priority with access near3 device\$1 same (performance or usage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:09

S48	5	allow near3 priority near3 device\$1 same (performance or usage or congest\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:12
S49	801	bandwidth near5 priority	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:14
S50	304	(bandwidth near5 priority) same allocat\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:18
S51	241	((bandwidth near5 priority) same allocat\$4) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:19
S52	31	(bandwidth near5 priority) near5 allocat\$4 near5 base\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:25
\$53	17	((bandwidth near5 priority) near5 allocat\$4 near5 base\$1) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:29
S54	17	maximum adj1 usage adj1 level	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:29
\$55	17	((bandwidth near5 priority) near5 allocat\$4 near5 base\$1) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:30
S56	15	(maximum adj1 usage adj1 level) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:31
S57	0	(maximum adj1 usage adj1 level) same override	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:31
S58	0	(maximum adj1 usage adj1 level) same overrid\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2002/09/06 11:31
S59	0	(maximum adj1 usage adj1 level) same increas\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:32

S60	44	bandwidth adj1 allocation near3 priority	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:47
S61	0	(bandwidth adj1 allocation near3 priority) and "19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:47
S62	39	(bandwidth adj1 allocation near3 priority) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 11:47
S63	71	credit\$3 near10 resource\$1 near10 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 08:33
S64	13	(credit\$3 near10 resource\$1 near10 process\$3) and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 10:33
S65	3	709/104.ccls. and credit\$4 near5 available	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 08:45
S66	0	usage near10 credit\$1 near10 resource\$1 near10 (process\$3 or thread\$1 or job\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 08:47
S67	68	credit\$1 near10 resource\$1 near10 (process\$3 or thread\$1 or job\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 08:47
S68	11	(credit\$1 near10 resource\$1 near10 (process\$3 or thread\$1 or job\$1)) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 08:48
S69	O	leaky adj1 bucket\$1 and 709/104. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	OFF	2003/02/21 08:49

S70	60	leaky adj1 bucket\$1 and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 08:49
S71	0	(709/104 and 709/223-226).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 08:50
S72	5	(709/104.ccls. and 709/223-226. ccls.) and credit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 08:50
S73	82	709/104.ccls. and 709/223-226. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 08:59
S74	60	leaky adj1 bucket\$1 and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 09:54
S75	2	"5040123".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 10:28
S76	37	available near5 bandwidth\$1 near10 (max or maximum or threshold) near10 current\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2003/02/21 10:31
S77	1	available near5 bandwidth\$1 near10 (max or maximum or threshold) near10 current\$4 near10 subtract\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 10:35
S78	4	available near5 bandwidth\$1 near10 (max or maximum or threshold) near10 subtract\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 10:33
S79	93	available near10 (max or maximum or threshold) near10 subtract\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 10:33

S80	4	(available near10 (max or maximum or threshold) near10 subtract\$4) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 10:35
S81	610	(max or maximum or threshold) near10 current\$4 near10 subtract\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 10:35
S82	18	((max or maximum or threshold) near10 current\$4 near10 subtract\$4) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 10:39
S83	540	leaky adj1 bucket\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/02/21 10:40
S84	1063	embedded near3 computer near3 system\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 09:06
S85	2	"6125396".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 08:22
S86	369	embedded adj1 computer adj1 system\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 09:06
S87	2	leaky adj1 bucket\$1 near10 allocat\$3 near10 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 09:48
S88	. 1	((manag\$4 or monitor\$4) near4 resourc\$4) and (availab\$6 near2 credit) and (leaky adj1 bucket\$1) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 09:50
S89	2	(709/224.ccls. and (leaky adj1 bucket\$1)) and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 09:50

7 298	(leaky adj1 bucket\$1) and subtract\$1 near10 available  709/224.ccls. and (leaky adj1 bucket\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	OR OR	OFF.	2003/06/05 09:50
	bucket\$1)	EPO; JPO;	OR	OFF	2003/06/05 00:50
298		IBM_TDB			2003/00/03 09:50
	(resource\$1 near3 (monitor\$4 or manag\$4)) and @ad<"19980826" and credit\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 09:50
51	709/223.ccls. and credit\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 09:50
3	709/100-108.ccls. and "leaky bucket"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 11:20
0	restart\$4 near10 atomic near4 sequence\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 11:20
11	restart\$4 near10 critical near5 section\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/0 <sub>5</sub> 11:21
6	restart\$4 near10 critical near5 code\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 11:23
4	restart\$4 near10 critical near5 instruction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 14:10
83	715/513.ccls. and exchang\$3 near10 document\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	OFF	2003/06/05 14:35
	0 11 4	and credit\$4  51 709/223.ccls. and credit\$4  3 709/100-108.ccls. and "leaky bucket"  0 restart\$4 near10 atomic near4 sequence\$1  11 restart\$4 near10 critical near5 section\$1  6 restart\$4 near10 critical near5 code\$1  4 restart\$4 near10 critical near5 instruction\$1	and credit\$4  DERWENT; IBM_TDB  11  restart\$4 near10 critical near5 section\$1  12  restart\$4 near10 critical near5 code\$1  13  restart\$4 near10 critical near5 instruction\$1  4  restart\$4 near10 critical near5 instruction\$1  4  restart\$4 near10 critical near5 instruction\$1  25  restart\$4 near10 critical near5 instruction\$1  26  restart\$4 near10 critical near5 instruction\$1  27  restart\$4 near10 critical near5 instruction\$1  28  restart\$4 near10 critical near5 instruction\$1  28  restart\$4 near10 critical near5 instruction\$1  26  restart\$4 near10 critical near5 instruction\$1  27  restart\$4 near10 critical near5 instruction\$1  28  restart\$4 near10 critical near5 instruction\$1  29  restart\$4 near10 critical near5 instruction\$1  20  restart\$4 near10 critical near5 instruction\$1  21  restart\$4 near10 critical near5 instruction\$1  22  restart\$4 near10 critical near5 instruction\$1  23  restart\$4 near10 critical near5 instruction\$1  24  restart\$4 near10 critical near5 instruction\$1  25  restart\$4 near10 critical near5 instruction\$1  26  restart\$4 near10 critical near5 instruction\$1  27  restart\$4 near10 critical near5 instruction\$1  28  restart\$4 near10 critical near5 instruction\$1  29  restart\$4 near10 critical near5 instruction\$1	and credit\$4  and credit\$4  DERWENT; IBM_TDB  S1 709/223.ccls. and credit\$4  USPAT; EPO; JPO; DERWENT; IBM_TDB  3 709/100-108.ccls. and "leaky bucket"  USPAT; EPO; JPO; DERWENT; IBM_TDB  O restart\$4 near10 atomic near4  Sequence\$1  US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB  I1 restart\$4 near10 critical near5 Section\$1  US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB  OR USPAT; EPO; JPO; DERWENT; IBM_TDB  A restart\$4 near10 critical near5 Code\$1  US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB  US-PGPUB; USPAT; EPO; JPO; DERWENT;	and credit\$4  DERWENT; IBM_TDB  TO9/223.ccls. and credit\$4  USPAT; EPO; JPO; DERWENT; IBM_TDB  TO9/100-108.ccls. and "leaky bucket"  USPAT; EPO; JPO; DERWENT; IBM_TDB  Testart\$4 near10 atomic near4 Sequence\$1  US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB  Testart\$4 near10 critical near5 Section\$1  US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB  Testart\$4 near10 critical near5 Section\$1  US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB  Topic perwent; IBM_TDB  Topic perwent; IBM_TDB  Topic perwent; IBM_TDB  Topic perwent; IBM_TDB  US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB  Topic perwent; IBM_TDB  US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S10 0	91	"request-reply"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 14:41
S10 1	0	"request-reply" and "publish-subscribe" and "broadcast-multicast"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 14:41
S10 2	9	"request-reply" and "publish-subscribe"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/05 14:59
S10 3	.9.	370/235.1.ccls. and @ad<"19990826" and function\$1 near5 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 14:11
S10 4	0	resource near10 usage same function near5 time and leaky adj1 bucket\$1 and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 14:12
S10 5	11	resource near10 usage and function near5 time and leaky adj1 bucket\$1 and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 14:30
S10 6	6	resource near10 usage and predetermined near5 rate\$1 and leaky adj1 bucket\$1 and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 14:23
S10 7	181	resource near10 usage and function near5 time and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 14:34
S10 8	311	resource\$1 near10 usage and function near5 time and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 14:36
S10 9	O	regulat\$4 near10 resource\$1 near10 usage and function near5 time and @ad<"19990824" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 14:36

S11 0	0	regulat\$4 near10 resource\$1 near10 usage and function near5 time and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	OFF	2003/09/08 14:36
S11	70	resource\$1 near10 usage and	IBM_TDB US-PGPUB;	OR	OFF	2003/09/08 14:49
1		function near5 time and @ad<"19990824" and "709"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB			
S11 2	1	leaky adj1 bucket\$1 and decreas\$4 near10 time\$1 and @ad<"19990824" and 709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 14:51
S11 3	17	leaky adj1 bucket\$1 and @ad<"19990824" and 709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 14:52
S11 4	22	leaky adj1 bucket\$1 and @ad<"19990824" and 709/100-108,223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 15:19
S11 5	5	leaky adj1 bucket\$1 and @ad<"19990824" and 709/100-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 14:53
S11 6	1313	leaky adj1 bucket\$1 and memory or processor near5 time\$1 and @ad<"19990824" and 709/100-108,223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 15:20
S11 7	-18	leaky adj1 bucket\$1 and (memory or processor near5 time\$1) and @ad<"19990824" and 709/100-108,223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 15:22
S11 8	15	leaky adj1 bucket\$1 near10 estimat\$4 and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/09 09:33
S11 9	0	manag\$4 near10 resourc\$4 near10 leaky adj1 bucket\$1 and @ad<"199980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/31 08:54

S12 0	3	resourc\$4 near10 leaky adj1 bucket\$1 and @ad<"199980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/31 08:54
S12 1	391	leaky adj1 bucket\$1 and @ad<"199980826" and ("370"/\$. ccls. "709"/\$.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/31 08:55
S12 2	2	decreas\$4 near10 leaky adj1 bucket\$1 and @ad<"199980826" and ("370"/\$.ccls. "709"/\$.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/31 08:59
S12 3	34	manag\$4 same leaky adj1 bucket\$1 and @ad<"199980826" and ("370"/\$.ccls. "709"/\$.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/31 08:59
S12 4	39	manag\$4 same leaky adj1 bucket\$1 and @ad<"199980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/31 09:01
S12 5	0	manag\$4 same (decreas\$4 minus\$1 subtract\$4) same leaky adj1 bucket\$1 and @ad<"199980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/31 09:00
S12 6	145	(leaky adj1 bucket\$1).ab.ti. and @ad<"199980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/31 09:16
S12 7	45	(leaky adj1 bucket\$1).ti. and @ad<"199980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/31 09:05
S12 8	6	(leaky adj1 bucket\$1 and resourc\$4).ab.ti. and @ad<"199980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/31 09:18
S14 0	2	370/235.1.ccls. and (max or maximum) with level\$1 and @ad<"19990826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 07:51
S14 1	56	leaky adj1 bucket\$1 and (max or maximum) with level\$1 and @ad<"19990826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	. OR	OFF	2004/12/10 07:54
S14 2	28	leaky adj1 bucket\$1 with memor\$3 and @ad<"19990826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 07:54

S14 3	. 1	"5802310".PN.	USPAT; USOCR	OR	OFF	2004/12/10 07:55
S14 4	1	"5713013".PN.	USPAT; USOCR	OR	OFF	2004/12/10 07:57
S14 5	1	"5630067".PN.	USPAT; USOCR	OR	OFF	2004/12/10 07:58
S14 6	11	leaky adj1 bucket\$1 and "718"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:01
S14 7	24	leaky adj1 bucket\$1 and ("718"/\$. ccls. "711"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:17
\$14 8	198	leaky adj1 bucket\$1 and (lower\$4 or reduc\$4 or decreas\$4) near10 (weight\$4 or priorit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:19
S14 9	3	leaky adj1 bucket\$1 and (lower\$4 or reduc\$4 or decreas\$4) near10 (weight\$4 or priorit\$4) and "718"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:19
S15 0	120	leaky adj1 bucket\$1 and (lower\$4 or reduc\$4 or decreas\$4) near10 (weight\$4 or priorit\$4) and @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:22
S15 1	67	leaky adj1 bucket\$1 and (lower\$4 or reduc\$4 or decreas\$4) near10 (weight\$4 or priorit\$4) and threshold\$4 and @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:29
S15 2	49	(process processes job\$1 thread\$1 task\$1) and leaky adj1 bucket\$1 same threshold\$4 and @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:29
S15 3	11	(process processes job\$1 thread\$1 task\$1) same leaky adj1 bucket\$1 same threshold\$4 and @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:32

S15 4	7	( processes job\$1 thread\$1 task\$1) same leaky adj1 bucket\$1 same threshold\$4 and @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2004/12/10 08:34
S15 5	0	( processes job\$1 thread\$1 task\$1) near10 request\$4 near10 usage and leaky adj1 bucket\$1 same threshold\$4 and @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:35
S15 6	0	( processes job\$1 thread\$1 task\$1) near10 request\$4 near10 rate\$1 and leaky adj1 bucket\$1 same threshold\$4 and @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:35
S15 7	<b>1</b>	( processes job\$1 thread\$1 task\$1) near10 request\$4 and leaky adj1 bucket\$1 same threshold\$4 and @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:35
S15 8	0	( processes job\$1 thread\$1 task\$1) near10 request\$4 near10 usage and leaky adj1 bucket\$1 and threshold\$4 and @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:35
S15 9		( processes job\$1 thread\$1 task\$1) near10 request\$4 near10 rate\$1 and leaky adj1 bucket\$1 and threshold\$4 and @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:37
S16 0	23	( processes job\$1 thread\$1 task\$1) near10 request\$41 and leaky adj1 bucket\$1 and threshold\$4 and @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:37
S16 1	23	( processes job\$1 thread\$1 task\$1) near10 request\$4 and leaky adj1 bucket\$1 and threshold\$4 and @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	⊙R	OFF	2004/12/10 08:39
S16 2	18182163	( processes job\$1 thread\$1 task\$1) near10 process\$3 and leaky adj1 bucket\$1 @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:40
S16 3	102	( processes job\$1 thread\$1 task\$1) near10 process\$3 and leaky adj1 bucket\$1 and @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:44

S16 4	. 1	"5566175".PN.	USPAT; USOCR	OR	OFF	2004/12/10 08:41
S16 5		"5630067".PN.	USPAT; USOCR	OR	OFF	2004/12/10 08:42
S16 6	630	bandwidth near10 lower near10 level\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:44
S16 7	84	bandwidth near10 lower near10 level\$1 and engineering	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:46
S16 8	240	common near5 bandwidth\$1 and engineering	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:46
S16 9	148	(leaky adj1 bucket\$1).ab.ti. and @ad<"19980826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:46
S17 0	367	shared near5 bandwidth\$1 and engineering	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:46
S17 1	32	S168 and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:47
S17 2	11	"718"/\$.ccls. and leaky adj1 bucket\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:56
S17 3	322	guaranteed near3 bandwidth and engineering	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:57
S17 4	2	guaranteed near3 bandwidth and engineering same sales	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 08:57

S17 5	8	leaky adj1 bucket\$1 same memory near5 manag\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 09:31
S17 6	100	leaky adj1 bucket\$1 and memory near5 manag\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 09:31
S17 7	14	leaky adj1 bucket\$1 and "711"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 10:00
S17 8	11	leaky adj1 bucket\$1 and "718"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 10:01
S17 9	7	leaky adj1 bucket\$1 and "340"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 10:01
S18 0	498	leaky adj1 bucket\$1 and "370"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 10:03
S18 1	55	leaky adj1 bucket\$1 and decremen\$4 near5 rate\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 10:04
S18 2	36	leaky adj1 bucket\$1 and decremen\$4 near5 rate\$1 and @ad<"19990826"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 10:04

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Mem	persn	ip i	, np///c	ations.	/SetAic	es Star
			- 1000			
					v <i>e</i> a v	7A)
				ay y		<b>.</b>

Welcome



	United States Patent and Trademark Office
Help FAQ Terms	IEEE Peer Review Quick Links Sea
Welcome to IEEE Xplor  - Home - What Can I Access?	Your search matched 3 of 1099723 documents.  A maximum of 500 results are displayed, 15 to a page, sorted by Relevance Descending order.
O- Log-out	Refine This Search:
Tables of Contents	You may refine your search by editing the current search expression or enterin new one in the text box.
O- Journals & Magazines	round <near 3=""> robin <near 10=""> process* <near 10=""> pri</near></near></near>
Conterence Proceedings	☐ Check to search within this result set
O- Standards	Results Key:  JNL = Journal or Magazine CNF = Conference STD = Standard
Search	
O- By Author O- Basic O- Advanced O- CrossRef	1 Traffic scheduling in Bluetooth network  Sangvornvetphan, V.; Erke, T.;  Networks, 2001. Proceedings. Ninth IEEE International Conference on , 10-12  2001  Pages:355 - 359
Member Services	[Abstract] [PDF Full-Text (438 KB)] IEEE CNF
O- Join IEEE O- Establish IEEE Web Account O- Access the IEEE Member Digital Library	2 Priority round-robin scheduling for very large virtual environments Faisstnauer, C.; Schmalstieg, D.; Purgathofer, W.; Virtual Reality, 2000. Proceedings. IEEE, 18-22 March 2000 Pages:135 - 142
v Pagarita isang	[Abstract] [PDF Full-Text (172 KB)] IEEE CNF
O- Access the IEEE Enterprise File Cabinet	3 Data scheduling and SAR for Bluetooth MAC  Kalia, M.; Bansal, D.; Shorey, R.;  Vehicular Technology Conference Proceedings, 2000. VTC 2000-Spring Tokyo.  IEEE 51st, Volume: 2, 15-18 May 2000
Print Format	Pages:716 - 720 vol.2

dards Conferences

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

**IEEE CNF** 

[PDF Full-Text (388 KB)]

[Abstract]

Copyright © 2004 IEEE - All rights reserved

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.